



# Environmental Laboratory Network, Inc.

dba EnviroMatrix Analytical 9590 Chesapeake Dr., Suite 300 San Diego, CA 92123 (858) 266-1666

## CHAIN-OF-CUSTODY RECORD

ELN LOG #: \_\_\_\_\_

Client: Conechaque County Water District

Attn: Terry Buchheit

Samplers(s): Dean Lewis

Address: 140 Smokehouse Ln  
via Julian CA 92036

Phone: 619-212-3959

Email: buchheit.terry@ccwail.com

Billing Address: 2443 La Manque St SD 92109

Billing Email: \_\_\_\_\_

Project ID: Decation Sample PO #: \_\_\_\_\_

Project #: \_\_\_\_\_

ID #	Client Sample ID	Sample Date	Sample Time	Sample Matrix	Container # / Type
1	<u>Peterson well #2</u>	<u>1-3</u>	<u>8:15</u>	<u>DW</u>	
2	<u>264 Upandtrail</u>	<u>1-3</u>	<u>8:35</u>	<u>L</u>	
3					
4					
5					
6					
7					
8					
9					
10					

Matrix Codes: A = Air, DW = Drinking Water, GW = Groundwater, SW = Storm Water  
 WW = Wastewater, S = Soil, SED = Sediment, SD = Solid, T = Tissue, O = Oil, L = Liquid  
 Shipped By:  Courier  UPS  FedEx  USFS  Client Drop Off  Other  
 Turn-Around-Time:  Same Day  1 day  2 day  3 day  4 day  5 day  STD (7-business days)  
 Reporting Requirements:  PDF  Excel  Geotracker/EDF  Hard Copy  EDT/CLIP  CEDEN  SDWIS  
 Sample Disposal:  By Laboratory  Return to Client: P/U or Delivery  Archive

**Sample Integrity**

Correct Containers: Yes  No  N/A

Custody Seals Intact: Yes  No  N/A

CCCLabels Agrees: Yes  No  N/A

Containers Property Preserved: Yes  No  N/A

Temp @ Receipt: 4°C  Ice  None

Sampled By: ELN Autosampler

Project/Sample Location/Address: \_\_\_\_\_

Project/Sample Comments: Please Forward Results to SD County DEH

Payment: Total \$ \_\_\_\_\_ Ck # \_\_\_\_\_

Cash  CC

Requested Analysis		DATE/TIME	RECEIVED BY
<input type="checkbox"/> Chloride <input type="checkbox"/> Sulfate			
<input type="checkbox"/> Phosphorus <input type="checkbox"/> Orthophosphate			
<input type="checkbox"/> Color <input type="checkbox"/> Odor <input type="checkbox"/> Turbidity			
<input type="checkbox"/> BOD <input type="checkbox"/> COD <input type="checkbox"/> Cyanide			
Heterotrophic Plate Count (HPC)			
Enterococcus, <input type="checkbox"/> MTF <input type="checkbox"/> Enteric			
Coliform, Total Coliform+ <del>E</del> Coli <input type="checkbox"/> F/A <input type="checkbox"/> Enumeration	<input checked="" type="checkbox"/>	<u>1/3/23</u>	<u>[Signature]</u>
Coliform, <input type="checkbox"/> Total (MTF) <input type="checkbox"/> Fecal (MTF)		<u>12:32</u>	<u>[Signature]</u>
Cd Cr Cu Pb Ni Ag Zn <input type="checkbox"/> Dissolved			
TCLP (RCRA 8) <input type="checkbox"/> Metals			
CAC Title 22/CAM17 Metals <input type="checkbox"/> TLC <input type="checkbox"/> STLC			
<input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> N-N <input type="checkbox"/> TKN <input type="checkbox"/> Total Nitrogen			
<input type="checkbox"/> pH <input type="checkbox"/> EC <input type="checkbox"/> TSS <input type="checkbox"/> TDS <input type="checkbox"/> NH3			
625 / 8270 (SVOC) <input type="checkbox"/> PAH only			
624/8260 (VOC) Full BTXE MTRB Oxy Nap			
8015 (PH) <input type="checkbox"/> Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Ext			
Oil & Grease <input type="checkbox"/> 1664			

Signature: [Signature]  
 Print: Terry Buchheit  
 Company: Conechaque Water

Signature: \_\_\_\_\_  
 Print: \_\_\_\_\_  
 Company: \_\_\_\_\_

Signature: \_\_\_\_\_  
 Print: \_\_\_\_\_  
 Company: \_\_\_\_\_

\*Additional costs may apply. Please note there is a \$35 minimum charge for all clients.  
 \*\*ELN reserves the right to return any samples that do not match our waste profile.