



Environmental Laboratory Network, Inc.
dba EnviroMatrix Analytical

11 April 2022

Canebrake County Water District

EMA Log #: 22D0220

Attn: Jerry Bucheit

140 Smoketree Lane

Julian, CA 92036

Project: April 6, 2022

Enclosed are the results of analyses for samples received by the laboratory on 04/06/22 14:37. Samples were analyzed pursuant to client request utilizing EPA or other ELAP approved methodologies. Environmental Laboratory Network, Inc. certifies that this data is in compliance both technically and for completeness.

Jenny Douglas

President/CEO

Environmental Laboratory Network, Inc.

dba EnviroMatrix Analytical

CA ELAP Certification #: 2564

Client Name: Canebrake County Water District
Project Name: April 6, 2022

EMA Log #: 22D0220

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
264 Upward Trail	22D0220-01	Drinking Water	04/06/22 10:00	04/06/22 14:37
140 Smoketree Ln	22D0220-02	Drinking Water	04/06/22 09:40	04/06/22 14:37

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Client Name: Canebrake County Water District
Project Name: April 6, 2022

EMA Log #: 22D0220

Microbiological Parameters by Standard Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Analyst	Batch	Sample Prepared Sample Analyzed	Method	Notes
264 Upward Trail (22D0220-01) Drinking Water Sampled: 04/06/22 10:00 Received: 04/06/22 14:37										
Total Coliforms	Absent			None	1	CC	2040702	04/06/22 15:25 04/07/22 15:25	SM9223	
E. Coli	Absent			"	"	CC	"	04/06/22 15:25 04/07/22 15:25	"	
140 Smoketree Ln (22D0220-02) Drinking Water Sampled: 04/06/22 09:40 Received: 04/06/22 14:37										
Total Coliforms	Absent			None	1	CC	2040702	04/06/22 15:25 04/07/22 15:25	SM9223	
E. Coli	Absent			"	"	CC	"	04/06/22 15:25 04/07/22 15:25	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Client Name: Canebrake County Water District
Project Name: April 6, 2022

EMA Log #: 22D0220

Notes and Definitions

A-03 Absent

ND Analyte NOT DETECTED at or above the reporting limit (or method detection limit when specified)

NR Not Reported

dry Sample results reported on a dry weight basis (if indicated in units column)


RPD Relative Percent Difference

MDL Method detection limit (indicated per client's request)

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

22D0220

EnviroMatrix Analytical, Inc.



9590 Chesapeake Dr., Suite 5 - San Diego, CA 92123 - Phone (619) 474-8548

CHAIN-OF-CUSTODY RECORD

EMA LOG #: _____

Client: Canebrake County Water Dist

Attn: Jenny Bucheit

Sampler(s): Jenny Bucheit - Dean Kuns

Address: 180 Smokefree Ln

via Tulow Cir 92036

Phone: 619-212-3959 Fax: _____

Email: bucheit.jenny@emai.com

Billing Address: Small Business Services

2443 La Morque St., SD., Cal. 92109

Project ID: _____

Project #: _____

PO #: _____

ID #	Client Sample ID	Sample Date	Sample Time	Sample Matrix	Container # / Type
1	180 Smokefree Ln	4-6	9:40 AM	DW	
2	<u>180 Smokefree Ln</u>	<u>4-6</u>	<u>10:00 AM</u>	<u>DW</u>	
3	<u>180 Smokefree Ln</u>	<u>4-6</u>	<u>9:50 AM</u>	<u>DW</u>	
4					
5					
6					
7					
8					
9					
10					

Matrix Codes: A = Air, DW = Drinking Water, GW = Groundwater, SW = Storm Water
 WW = Wastewater, S = Soil, SED = Sediment, SD = Solid, T = Tissue, O = Oil, L = Liquid

Shipped By: Courier UPS FedEx USPS Client Drop Off Other

Turn-Around-Time: Same Day 1 day 2 day 3 day 4 day 5 day STD (7-business days)

Reporting Requirements: PDF Excel Geotracker/EDF Hard Copy EDT/CLIP CEDEN SDWIS

Sample Disposal: By Laboratory Return to Client: P/U or Delivery Archive

Sample Integrity

Correct Containers: Yes No N/A Yes No N/A

Custody Seals Intact: Yes No Yes No N/A

COC/Labels Agree: Yes No N/A Yes No N/A

Project/Sample Location/Address: _____

Project/Sample Comments: _____

Requested Analysis

Oil & Grease 413.1 413.2 1664

8015 (TPH) Gas Diesel Ext

624/8260 (VOC) Full BTXE MTRB Oxy Nap

625 / 8270 (SVOC) PAH only

pH EC TSS TDS NH3

Nitrate Nitrite N-N TKN Total Nitrogen

CAC Title 22/CAM17 Metals TLC STLC

TCLP (RCRA) Metals

Cd Cr Cu Pb Ni Ag Zn Dissolved

Coliform, Total (MTF) Fecal (MTF)

Collet, Total Coliform+E.Coli MP/A Enumeration

Enterococcus, MTF Enterolert

Heterotrophic Plate Count (HPC)

BOD COD Cyanide

Color Odor Turbidity

Phosphorus Orthophosphate

Chloride Sulfate

RELINQUISHED BY: _____

Signature: Jenny Bucheit

Print: Jenny Bucheit

Company: Canebrake Water

DATE/TIME: Apr-6-22

2:37 P

RECEIVED BY: _____

Signature: _____

Print: _____

Company: _____

Please Forward to San Diego County Environment Health

¹ Additional costs may apply. Please note there is a \$35 minimum charge for all clients.

² EMA reserves the right to return any samples that do not match our waste profile.

NOTE: By relinquishing samples to EMA, Inc., client agrees to pay for the services requested on this COC form and any additional analyses performed on this project. Payment for services is due within 30 days from date of invoice. Samples will be disposed of 7 days after report has been finalized unless otherwise noted. All work is subject to EMA's terms and conditions.