

EnviroMatrix



Analytical, Inc.

04 May 2021

Canebrake County Water District

EMA Log #: 21D0887

Attn: Jerry Bucheit

140 Smoketree Lane

Julian, CA 92036

Project: April 30, 2021

Enclosed are the results of analyses for samples received by the laboratory on 04/30/21 13:30. Samples were analyzed pursuant to client request utilizing EPA or other ELAP approved methodologies. I certify that this data is in compliance both technically and for completeness.

Leland S. Pitt

Laboratory Director

CA ELAP Certification #: 2564

PLEASE NOTE OUR NEW LOCATION:

9590 Chesapeake Dr. - San Diego, California 92123 - (858) 560-7717 - Fax (858) 560-7763

Analytical Chemistry Laboratory

Client Name: Canebrake County Water District
Project Name: April 30, 2021

EMA Log #: 21D0887

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
455 Canebrake Rd	21D0887-01	Drinking Water	04/30/21 10:30	04/30/21 13:30

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Canebrake County Water District
Project Name: April 30, 2021

EMA Log #: 21D0887

Microbiological Parameters by Standard Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Analyst	Batch	Sample Prepared Sample Analyzed	Method	Notes
455 Canebrake Rd (21D0887-01) Drinking Water Sampled: 04/30/21 10:30 Received: 04/30/21 13:30										
Total Coliforms	Absent			None	1	JB	1050342	04/30/21 15:30 05/01/21 15:30	SM9223	
E. Coli	Absent			"	"	JB	"	04/30/21 15:30 05/01/21 15:30	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Canebrake County Water District
Project Name: April 30, 2021

EMA Log #: 21D0887

Notes and Definitions

A-03 Absent

ND Analyte NOT DETECTED at or above the reporting limit (or method detection limit when specified)

NR Not Reported

dry Sample results reported on a dry weight basis (if indicated in units column)

RPD Relative Percent Difference

MDL Method detection limit (indicated per client's request)

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

CHAIN-OF-CUSTODY RECORD 2108887

- EnviroMatrix Analytical, Inc.

Page ___ of ___

4340 Viewridge Ave., Ste. A - San Diego, CA 92123 - Phone (858) 560-7717 - Fax (858) 560-7763

EMA LOG #: _____
 Client: Camebroke County Water District
 Attn: Jenny Buchheit
 Samplers(s): Jenny Buchheit
 Address: 140 Sankelawic Tuleen CA 92036
 Phone: 1-619-212-3959 Fax: _____
 Email: buchheitjenny@gmail.com
 Billing Address: SBS 2443 La Mar Ave St
San Diego 92109
 Project ID: _____
 Project #: _____
 PO #: _____

ID #	Client Sample ID	Sample Date	Sample Time	Sample Matrix	Container # / Type
1	<u>455 Camebroke Rd</u>	<u>4-30</u>	<u>10:30 AM</u>		
2					
3					
4					
5					
6					
7					
8					
9					
10					

Matrix Codes: A = Air, DW = Drinking Water, GW = Groundwater, SW = Storm Water
 WW = Wastewater, S = Soil, SED = Sediment, SD = Solid, T = Tissue, O = Oil, L = Liquid

Shipped By: Courier UPS FedEx USPS Client Drop Off Other

Turn-Around-Time: Same Day 1 day 2 day 3 day 4 day 5 day STD (7-business days)

Reporting Requirements: Fax PDF Excel Geotacker/EDF Hard Copy EDT CEDEN SDWIS

Sample Disposal: By Laboratory Return to Client: P/U or Delivery Archive

Container: Yes No N/A

Custody Seals Intact: Yes No N/A

COC/Labels Agree: Yes No N/A

Temp @ Receipt: 40.1

Containers Properly Preserved: Yes No N/A

Sampled By: Jenny Buchheit Client EMA Autosampler

Project/Sample Location/Address: _____

Project/Sample Comments: _____

Requested Analysis

Requested Analysis	DATE/TIME	RELINQUISHED BY	RECEIVED BY
Oil & Grease <input type="checkbox"/> 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/> 1664		Signature <u>JC Buchheit</u>	Signature <u>Jenny Buchheit</u>
8015 (TPH) <input type="checkbox"/> Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Ext		Print <u>Jenny Buchheit</u>	Print <u>Jenny Buchheit</u>
624/8260 (VOC) Full BTXE MTBE Oxy Nap		Company: <u>Camebroke</u>	Company: <u>Camebroke</u>
625 / 8270 (SVOC) <input type="checkbox"/> PAH only		Signature _____	Signature _____
608 / 8081 (Organochlorine Pesticides)		Print _____	Print _____
608 / 8082 (Polychlorinated Biphenyls)		Company: _____	Company: _____
8141 (Organophosphorus Pesticides)		Signature _____	Signature _____
TBT (Organotin Compounds)		Print _____	Print _____
pH <input type="checkbox"/> EC <input type="checkbox"/> TSS <input type="checkbox"/> TDS		Company: _____	Company: _____
Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> N-N <input type="checkbox"/> TKN <input type="checkbox"/> NH3		Signature _____	Signature _____
CAC Title 22/CAM17 Metals <input type="checkbox"/> TTLC <input type="checkbox"/> STLC		Print _____	Print _____
TCLP (RCRA) <input type="checkbox"/> Metals <input type="checkbox"/> Organics		Company: _____	Company: _____
Cd Cr Cu Pb Ni Ag Zn <input type="checkbox"/> Dissolved		Signature _____	Signature _____
Cohorm, <input type="checkbox"/> Total (MTF) <input type="checkbox"/> Fecal (MTF)		Print _____	Print _____
Coliorm, T+E Coll <input checked="" type="checkbox"/> P/A <input type="checkbox"/> Enumeration		Company: _____	Company: _____
Enterococcus, <input type="checkbox"/> MTF <input type="checkbox"/> Enterolerm		Signature _____	Signature _____
Heterotrophic Plate Count (HPC)		Print _____	Print _____
BOD <input type="checkbox"/> COD <input type="checkbox"/> Cyanide		Company: _____	Company: _____

Additional costs may apply. Please note there is a \$35 minimum charge for all clients.
 EMA reserves the right to return any samples that do not match our waste profile.
 NOTE: By relinquishing samples to EMA, Inc., client agrees to pay for the services requested on this COC form and any additional analyses performed on this project. Payment for services is due within 30 days from date of invoice. Samples will be disposed of 7 days after report has been finalized unless otherwise noted. All work is subject to EMA's terms and conditions.